Report No.: 18360RC30006101

Test Report

Client Name	:	**Anker Innovations Limited**
Client Address	:	**Room1318-19,HollywoodPlaza,610NathanRoad, Mongkok,Kowloon,Hongkong**
Product Name	:	**Anker SOLIX F1500 Portable Power Station**
Report Date	:	**June 16, 2023**

Shenzhen Anbotek Compliance Laboratory Limited

Test Report

Applicant	:	Anker Innovations Limited
Address	:	Room1318-19,HollywoodPlaza,610NathanRoad,Mongkok,Kowloon, Hongkong

The submitted sample and sample information was/were submitted and identified by/on the behalf of the client

Sample Name	:	Anker SOLIX F1500 Portable Power Station
Test Model No.	:	A1772
Trade Mark	:	ANKER
Sample Received Date	:	Jan. 11, 2023; May 23, 2023
Testing Period	:	Jan. 11, 2023 to Feb. 08, 2023; May 23, 2023 to June 01, 2023
Test Requested	:	As specified by client, based on the list published by European chemicals agency (ECHA) for public consultation regarding regulation (EC) No 1907/2006 concerning the REACH, to determine the two hundred and thirty-three (233) Substances of Very High Concern (SVHC) in the submitted sample.

Test Method: In-House method-Analyzed by ICP-OES, UV-Vis, HPLC, LC-MS-MS, GC, GC-MS and colorimetric method.

Test Result(s): Please refer to the following page(s).

Summary:

According to the ruling of the Court of Justice of the European Union on the definition of an article under REACH, and the specified scope and evaluation screening, the test results of SVHC are >0.1%(w/w) in the articles of the submitted sample: - Lead	WARNING

Edited by Beryl Jian Reviewed by Qinna Authorized Signatory

Test Report

Tested Sample/Part Description:

Tested Groups	Description	Photo No.	Component
A#	Metal mixed	9	Silvery metal pin
		12	Copper-colored metal plug
		17	Silvery metal plug
		19	Copper-colored metal block
		21	Silvery metal shell
		28	Silvery metal screw
		29	Metal screw with black coating
		30	Metal ring with black coating
		31	Metal sheet with black coating
		32	Silvery metal sheet
		33	Silvery metal screw
		36	Silvery metal frame
		37	Silvery metal sheet
		38	Silvery metal sheet
		41	Silvery metal sheet
		48	Copper-colored metal socket
		51	Metal spring with black coating
		52	Silvery metal electrical contact
		53	Copper-colored metal sheet
		54	Silvery metal sheet
B#	Metal mixed	57	Silvery metal sheet
		60	Copper-colored metal coil
		64	Silvery metal shell
		72	Silvery metal soldering tin
		77	Silvery metal contact pin
		99	Copper-colored metal plug
		100	Silvery metal shell
		101	Metal frame with black coating
		106	Silvery metal pin
		108	Silvery metal shell
		111	Silvery metal pin
		112	Metal spring with black coating
		113	Silvery metal pin

Test Report

Tested Groups	Description	Photo No.	Component
B#	Metal mixed	115	Silvery metal pin
		116	Silvery metal shrapnel
		117	Silvery metal shell
		119	Silvery metal shell
		121	Silvery metal pin
		122	Silvery metal shell
		124	Copper-colored metal pin
C#	Metal mixed	127	Silvery metal soldering tin
		134	Copper-colored metal coil
		135	Silvery metal sheet
		136	Silvery metal shell
		137	Silvery metal bushing
		138	Silvery metal rod
		139	Silvery metal spring
		146	Silvery metal soldering tin
		150	Silvery metal pin
		155	Silvery metal soldering tin
		160	Copper-colored metal socket
		162	Copper-colored metal coil
		164	Copper-colored metal coil
		177	Silvery metal sheet
		179	Silvery metal screw
		180	Silvery metal heat sink
		182	Copper-colored metal coil
		185	Copper-colored metal pin
		199	Blue-zinc plating metal screw
		207	Silvery metal pin
D#	Metal mixed	213	Copper-colored metal wire
		214	Silvery metal pin
		221	Silvery metal soldering tin
		225	Silvery metal pin
		229	Silvery metal shell
		232	Silvery metal pin
		235	Gray metal foil plate
		236	Silvery metal foil plate

Test Report

Tested Groups	Description	Photo No.	Component
D#	Metal mixed	246	Metal clip with black coating
		247	Silvery metal frame
		251	Silvery metal shell
		253	Silvery metal soldering tin
		255	Silvery metal contact pin
		260	Silvery metal sheet
		265	Copper-colored metal stud
		267	Silvery metal plug
		270	Copper-colored metal socket
		275	Silvery metal plug
		276	Silvery metal shell
		277	Silvery metal shell
		278	Silvery metal sheet
		280	Silvery metal screw
		283	Silvery metal sheet
		284	Silvery metal nut
		286	Silvery metal spring
		291	Silvery metal wire
		295	Silvery metal sheet
E#	Nonmetal mixed	1	White label
		2	Black plastic switch
		3	Black rubber stopper
		4	Transparent plastic shell
		5	Transparent plastic sheet
		6	White plastic lampshade
		7	Black plastic shell
		8	Black plastic button
		10	Black plastic shell
		11	Plastic shell with silvery coating
		13	Orange-yellow plastic shell
		14	Black plastic sheet
		15	Black plastic circle
		16	Black plastic sheet
		18	Black rubber foot pad
		20	Yellow plastic sheet

Test Report

Tested Groups	Description	Photo No.	Component
E#	Nonmetal mixed	22	White glue
		23	Silvery fabric patch
		24	Red plastic jacket
		25	Black plastic jacket
F#	Nonmetal mixed	26	Purple plastic jacket
		27	Gray plastic jacket
		34	Beige plastic cable tie
		35	Blue plastic shell
		39	Black heat shrink sleeve
		40	Black heat shrink sleeve
		42	Black plastic shell
		43	Black plastic jacket
		44	Green-yellow plastic jacket
		45	Black heat shrink sleeve
		46	Black magnet column
		47	Orange-yellow plastic shell
		49	Black plastic shell
		50	Black plastic block
		55	White plastic terminal
		56	Black heat shrink sleeve
		58	Black heat shrink sleeve
		59	Black magnet ring
		61	Black plastic jacket
		62	Black sensor
G#	Nonmetal mixed	63	Black plastic pedestal
		65	IC
		66	Gray inductor
		67	White plastic port
		68	Diode
		69	Chip resistor
		70	IC
		71	White fuse
		73	IC
		74	Chip capacitor
		75	Chip bead

Test Report

Tested Groups	Description	Photo No.	Component
G#	Nonmetal mixed	76	White label
		78	Black glue
		79	IC
		80	IC
		81	White plastic port
		82	White fuse
		83	IC
		84	IC
		85	Diode
H#	Nonmetal mixed	86	Black inductor
		87	Chip audion
		88	IC
		89	Chip diode
		90	IC
		91	Gray inductor
		92	Black heat shrink sleeve
		93	White plastic shell
		94	Black heat shrink sleeve
		95	Red capacitor
		96	Green magnetic ring
		97	Orange-yellow plastic shell
		98	Orange-yellow plastic shell
		102	IC
		103	Black glass screen
		104	IC
		105	Green PCB board
		107	Green PCB board
		109	Black plastic switch
		110	Brown plastic sheet
I#	Nonmetal mixed	114	Black plastic shell
		118	Black plastic button
		120	Blue inner plastic
		123	Blue inner plastic
		125	Red and silvery plastic label
		126	Black plastic shell

Test Report

Tested Groups	Description	Photo No.	Component
I#	Nonmetal mixed	128	Green PCB board
		129	White plastic clip
		130	Yellow glue
		131	Black component
		132	Black plastic fan blade
		133	Black plastic frame
		140	Black magnet ring
		141	Silvery plastic patch
		142	White plastic sheet
		143	Transparent plastic sheet
		144	Chip resistor
		145	Orange LED
		147	Black plastic jacket
		148	Red plastic jacket
J#	Nonmetal mixed	149	Yellow tape
		151	Black plastic terminal
		152	Black heat shrink sleeve
		153	Green PCB board
		154	Black plastic shell
		156	Green-yellow plastic jacket
		157	White plastic terminal
		158	Dark red plastic jacket
		159	Gray plastic jacket
		161	Orange-yellow plastic shell
		163	Black magnet column
		165	Blue electrolytic capacitor scarfskin
		166	Green resistor
		167	Yellow capacitor
		168	Yellow PCB board
		169	Black plastic shell
		170	Black heat shrink sleeve
		171	Yellow capacitor
		172	Black magnetic column
		173	Black heat shrink sleeve
K#	Nonmetal mixed	174	Blue capacitor

Test Report

Tested Groups	Description	Photo No.	Component
K#	Nonmetal mixed	175	Orange capacitor
		176	Black heat shrink sleeve
		178	Black sensor
		181	Translucent plastic jacket
		183	Gray capacitor
		184	Black plastic frame
		186	Black capacitor
		187	Translucent plastic jacket
		188	White plastic sheet
		189	Black plastic jacket
		190	Black plastic jacket
		191	Black magnet frame
		192	Yellow plastic jacket
		193	Blue tape
		194	Yellow transparent tape
		195	Audion
		196	Gray fabric sheet
		197	Gray rubber sheath
		198	Black plastic sheet
L#	Nonmetal mixed	200	IC
		201	Yellow tape
		202	Black plastic frame
		203	Black magnet frame
		204	Rectifier bridge
		205	MOS tube
		206	IC
		208	Chip capacitor
		209	Chip resistor
		210	Chip audion
		211	IC
		212	Green PCB board
		215	Rectifier bridge
		216	Black inductor
		217	Chip capacitor
		218	IC

Test Report

Tested Groups	Description	Photo No.	Component
L#	Nonmetal mixed	219	Chip resistor
		220	IC
		222	IC
		223	IC
M#	Nonmetal mixed	224	Green PCB board
		226	Green PCB board
		227	Chip resistor
		228	IC
		230	Black electrolytic capacitor scarfskin
		231	Black plastic sheet
		233	Brown wood sheet
		234	Black rubber sheet
		237	Transparent tape
		238	Brown paper
		239	White plastic terminal
		240	Black heat shrink sleeve
		241	Red and silvery plastic label
		242	Black plastic fan blade
		243	Black plastic frame
		244	Black plastic jacket
		245	Red plastic jacket
		248	Black plastic patch
		249	White label
		250	Black plastic shell
N#	Nonmetal mixed	252	Green PCB board
		254	Translucent glue
		256	Gray resistor
		257	Black plastic port
		258	White plastic jacket
		259	Brown sticker
		261	Black plastic jacket
		262	Black plastic sheet
		263	White heat shrink sleeve
		264	Black braided wire sleeve
		266	Black plastic scarfskin

Test Report

Tested Groups	Description	Photo No.	Component
N#	Nonmetal mixed	268	Black plastic scarfskin
		269	White inner plastic
		271	Brown plastic jacket
		272	Green-yellow plastic jacket
		273	Blue plastic jacket
		274	Black plastic wire sleeve
		279	Black plastic shell
		281	Black plastic scarfskin
		282	White plastic jacket
		285	Fuse
		287	Orange-yellow plastic shell
		288	Black plastic scarfskin
		289	Translucent plastic block
		290	Black plastic wire sleeve
		292	White plastic jacket
		293	Black plastic jacket
		294	Red plastic jacket
		296	Black inner plastic
O#	Metal mixed	298	Silvery metal soldering tin
		300	Silvery metal shell
		301	Silvery metal soldering tin
		302	Copper-colored metal contact pin
		304	Copper-colored metal shell
		305	Silvery metal crystal oscillator
		308	Silvery metal crystal oscillator
		316	Silvery metal heat sink
		318	Copper-colored metal coil
		322	Silvery metal soldering tin
		323	Silvery-toned metal contact pin
P#	Nonmetal mixed	297	White label
		299	Chip resistor
		303	Chip audion
		306	IC
		307	Yellow glue
		309	IC

Test Report

Tested Groups	Description	Photo No.	Component
P#	Nonmetal mixed	310	Blue chip resistor
		311	Chip capacitor
		312	Black PCB board
		313	Yellow transparent tape
		314	Yellow tape
		315	Chip resistor
		317	Green magnet ring
		319	White label
		320	White chip capacitor
		321	White plastic port
		324	Plastic shell with silvery silk printing
Q#	Battery mixed	325	Grey plastic scarfskin
		326	Green tape
		327	Blue plastic sheet
		328	Translucent plastic ring
		329	White plastic circle
		330	White plastic band
		331	Silvery metal sheet
		332	Silvery metal cover
		333	Silvery metal sheet
		334	Silvery metal shell
		335	Copper-colored metal pin
		336	Copper-colored metal foil plate
		337	Silvery metal pin
		338	Black electrolyte
		339	Silvery metallic foil plate
		340	Silvery metal pin
		341	Black electrolyte

Test Report

Test Result(s): (Substances in the Candidate List of SVHC)

Tested Groups	Code	Test Item	Report Results (%)
A#	185	Lead	0.3404
	-	Other tested SVHC in Candidate List	N.D.
B#	185	Lead	0.4099
	-	Other tested SVHC in Candidate List	N.D.
C#	185	Lead	0.3203
	-	Other tested SVHC in Candidate List	N.D.
D#	185	Lead	0.2601
	-	Other tested SVHC in Candidate List	N.D.
E#	184	Dodecamethylcyclohexasiloxane (D6)	0.0117
	-	Other tested SVHC in Candidate List	N.D.
F#	-	All tested SVHC in Candidate List	N.D.
G#	-	All tested SVHC in Candidate List	N.D.
H#	-	All tested SVHC in Candidate List	N.D.
I#	-	All tested SVHC in Candidate List	N.D.
J#	-	All tested SVHC in Candidate List	N.D.
K#	-	All tested SVHC in Candidate List	N.D.
L#	-	All tested SVHC in Candidate List	N.D.
M#	-	All tested SVHC in Candidate List	N.D.
N#	-	All tested SVHC in Candidate List	N.D.
O#	-	All tested SVHC in Candidate List	N.D.
P#	-	All tested SVHC in Candidate List	N.D.
Q#	49	1-Methyl-2-pyrrolidone	0.0272
	-	Other tested SVHC in Candidate List	N.D.

Test Report

Attachment (Full list of tested SVHC):

The first: Fifteen Substances of Very High Concern (Released in Oct, 2008)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
1	Bis(tributyltin)oxide (TBTO)	56-35-9	200-268-0	0.005
2	Diarsenic pentaoxide**	1303-28-2	215-116-9	0.01
3	Diarsenic trioxide**	1327-53-3	215-481-4	0.01
4	Triethyl arsenate**	15606-95-8	427-700-2	0.01
5	Lead hydrogen arsenate**	7784-40-9	232-064-2	0.01
6	Cobalt dichloride**	7646-79-9	231-589-4	0.01
7	Sodium dichromate **	7789-12-0, 10588-01-9	234-190-3	0.01
8	Anthracene	120-12-7	204-371-1	0.005
9	4,4'-Diaminodiphenylmethane (MDA)	101-77-9	202-974-4	0.005
10	Dibutyl phthalate (DBP)	84-74-2	201-557-4	0.005
11	Benzyl butyl phthalate (BBP)	85-68-7	201-622-7	0.005
12	5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)	81-15-2	201-329-4	0.005
13	Di-2-ethylhexyl phthalate(DEHP)	117-81-7	204-211-0	0.005
14	Hexabromocyclododecane(HBCDD) and all major diastereoisomers identified	25637-99-4, 3194-55-6 (134237-50-6, 134237-51-7, 134237-52-8)	247-148-4, 221-695-9	0.005
15	Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins)	85535-84-8	287-476-5	0.01

The second: Thirteen Substances of Very High Concern (Released in Jan, 2010 and Mar, 2010)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
16	Anthracene oil	90640-80-5	292-602-7	0.05
17	Anthracene oil, anthracene paste,distn. lights	91995-17-4	295-278-5	0.05
18	Anthracene oil, anthracene paste,anthracene fraction	91995-15-2	295-275-9	0.05
19	Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.05
20	Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.05
21	Pitch, coal tar, high temp.	65996-93-2	266-028-2	0.05
22	Acrylamide	79-06-1	201-173-7	0.01
23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.01
24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.005
25	Lead chromate**	7758-97-6	231-846-0	0.05
26	Lead chromate molybdate sulphate red (C.I. Pigment Red 104) **	12656-85-8	235-759-9	0.05
27	Lead sulfochromate yellow (C.I.Pigment Yellow 34) **	1344-37-2	215-693-7	0.05
28	Tris(2-chloroethyl)phosphate	115-96-8	204-118-5	0.01

The third: Eight Substances of Very High Concern (Released in Jun, 2010)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
29	Trichloroethylene	79-01-6	201-167-4	0.005
30	Boric acid**	10043-35-3/ 11113-50-1	233-139-2/ 234-343-4	0.01
31	Disodium tetraborate, anhydrous**	1330-43-4/ 12179-04-3/ 1303-96-4	215-540-4	0.01
32	Tetraboron disodium heptaoxide, hydrate**	12267-73-1	235-541-3	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
33	Sodium chromate**	7775-11-3	231-889-5	0.01
34	Potassium chromate**	7789-00-6	232-140-5	0.01
35	Ammonium dichromate**	7789-09-5	232-143-1	0.01
36	Potassium dichromate**	7778-50-9	231-906-6	0.01

The fourth: Eight Substances of Very High Concern (Released in Dec, 2010)

Code	Test Item		CAS No.	EC No.	Report Limit (%)
37	Cobalt(II) sulphate**		10124-43-3	233-334-2	0.01
38	Cobalt(II) dinitrate**		10141-05-6	233-402-1	0.01
39	Cobalt(II) carbonate**		513-79-1	208-169-4	0.01
40	Cobalt(II) diacetate**		71-48-7	200-755-8	0.01
41	2-Methoxyethanol		109-86-4	203-713-7	0.005
42	2-Ethoxyethanol		110-80-5	203-804-1	0.005
43	Chromium trioxide**		1333-82-0	215-607-8	0.01
44	Acids generated from chromium trioxide and their oligomers	Chromic acid**	7738-94-5	231-801-5	0.01
		Dichromic acid**	13530-68-2	236-881-5	0.01
		Oligomers of chromic acid and dichromic acid**	--	--	0.01

The fifth: Seven Substances of Very High Concern (Released in Jun, 2011)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
45	2-Ethoxyethyl acetate	111-15-9	203-839-2	0.01
46	Strontium chromate**	7789-06-2	232-142-6	0.01
47	1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters(DHNUP)*	68515-42-4	271-084-6	0.01
48	Hydrazine	7803-57-8/ 302-01-2	206-114-9	0.01
49	1-Methyl-2-pyrrolidone	872-50-4	212-828-1	0.01
50	1,2,3-Trichloropropane	96-18-4	202-486-1	0.01
51	1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters,C7-rich(DIHP)	71888-89-6	276-158-1	0.01

The sixth: Twenty Substances of Very High Concern (Released in Dec, 2011)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
52	Dichromium tris(chromate)**	24613-89-6	246-356-2	0.01
53	Potassium hydroxyoctaoxodizincatedichromate**	11103-86-9	234-329-8	0.01
54	Pentazinc chromate octahydroxide**	49663-84-5	256-418-0	0.01
55	Aluminosilicate Refractory Ceramic Fibres (RCF)**	--	--	0.05
56	Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF)**	--	--	0.05
57	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	500-036-1	0.01
58	Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	204-212-6	0.005
59	2-Methoxyaniline; o-Anisidine	90-04-0	201-963-1	0.005

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
60	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated	140-66-9	205-426-2	0.005
61	1,2-Dichloroethane	107-06-2	203-458-1	0.005
62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.005
63	Arsenic acid**	7778-39-4	231-901-9	0.01
64	Calcium arsenate**	7778-44-1	231-904-5	0.01
65	Trilead diarsenate**	3687-31-8	222-979-5	0.01
66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.005
67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.005
68	Phenolphthalein	77-09-8	201-004-7	0.005
69	Lead diazide Lead azide **	13424-46-9	236-542-1	0.01
70	Lead styphnate**	15245-44-0	239-290-0	0.01
71	Lead dipicrate**	6477-64-1	229-335-2	0.01

The seventh: Thirteen Substances of Very High Concern (Released in Jun, 2012)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
72	1,2-bis(2-methoxyethoxy)ethane(TEGDME; triglyme)	112-49-2	203-977-3	0.01
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.01
74	Diboron trioxide**	1303-86-2	215-125-8	0.01
75	Formamide	75-12-7	200-842-0	0.01
76	Lead(II) bis(methanesulfonate) **	17570-76-2	401-750-5	0.01
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine- 2,4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.01
79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.01
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.01
81	[4-[4,4'-bis(dimethylamino) benzhydrylidene] cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3)	548-62-9	208-953-6	0.01
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl] methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26)	2580-56-5	219-943-6	0.01
83	α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4)	6786-83-0	229-851-8	0.01
84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol	561-41-1	209-218-2	0.01

Test Report

The eighth: Fifty-four Substances of Very High Concern (Released in Dec, 2012)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
85	Bis(pentabromophenyl) ether (DecaBDE)	1163-19-5	214-604-9	0.05
86	Pentacosafluorotridecanoic acid	72629-94-8	276-745-2	0.05
87	Tricosafluorododecanoic acid	307-55-1	206-203-2	0.05
88	Henicosafluoroundecanoic acid	2058-94-8	218-165-4	0.05
89	Heptacosafluorotetradecanoic acid	376-06-7	206-803-4	0.05
90	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated -covering well-defined substances and UVCB substances, polymers and homologues	--	--	0.05
91	4-Nonylphenol, branched and linear - substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	--	--	0.05
92	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.05
93	Cyclohexane-1,2-dicarboxylic anhydride (Hexahydrophthalic anhydride - HHPA)	85-42-7 13149-00-3 14166-21-3	201-604-9 236-086-3 238-009-9	0.05

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
94	Hexahydromethylphathalic anhy, Hexahydro-4-methylphathalic anhydride, Hexahydro-1-methylphathalic anhydride, Hexahydro-3-methylphathalic anhydride	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	247-094-1, 243-072-0, 256-356-4, 260-566-1	0.05
95	Methoxy acetic acid	625-45-6	210-894-6	0.05
96	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.05
97	Diisopentylphthalate (DIPP)	605-50-5	210-088-4	0.05
98	n-pentyl-isopentylphthalate	776297-69-9	--	0.05
99	1,2-Diethoxyethane	629-14-1	211-076-1	0.05
100	N,N-dimethylformamide	68-12-2	200-679-5	0.05
101	Dibutyltin dichloride (DBTC)	683-18-1	211-670-0	0.05
102	Acetic acid, lead salt, basic**	51404-69-4	257-175-3	0.01
103	Basic lead carbonate (trilead bis(carbonate)dihydroxide) **	1319-46-6	215-290-6	0.01
104	Lead oxide sulfate (basic lead sulfate) **	12036-76-9	234-853-7	0.01
105	[Phthalato(2-)]dioxotrilead (dibasic lead phthalate) **	69011-06-9	273-688-5	0.01
106	Dioxobis(stearato)trilead**	12578-12-0	235-702-8	0.01
107	Fatty acids, C16-18, lead salts**	91031-62-8	292-966-7	0.01
108	Lead bis(tetrafluoroborate) **	13814-96-5	237-486-0	0.01
109	Lead cynamidate**	20837-86-9	244-073-9	0.01
110	Lead dinitrate**	10099-74-8	233-245-9	0.01
111	Lead oxide (lead monoxide) **	1317-36-8	215-267-0	0.01
112	Lead tetroxide (orange lead) **	1314-41-6	215-235-6	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
113	Lead titanium trioxide**	12060-00-3	235-038-9	0.01
114	Lead Titanium Zirconium Oxide**	12626-81-2	235-727-4	0.01
115	Pentalead tetraoxide sulphate**	12065-90-6	235-067-7	0.01
116	Pyrochlore, antimony lead yellow**	8012 -00-8	232-382-1	0.01
117	Silicic acid, barium salt, lead-doped**	68784-75-8	272-271-5	0.01
118	Silicic acid, lead salt**	11120-22-2	234-363-3	0.01
119	Sulfurous acid, lead salt, dibasic**	62229-08-7	263-467-1	0.01
120	Tetraethyllead**	78-00-2	201-075-4	0.01
121	Tetralead trioxide sulphate**	12202-17-4	235-380-9	0.01
122	Trilead dioxide phosphonate**	12141-20-7	235-252-2	0.01
123	Furan	110-00-9	203-727-3	0.05
124	Propylene oxide; 1,2-epoxypropane; methyloxirane	75-56-9	200-879-2	0.05
125	Diethyl sulphate	64-67-5	200-589-6	0.05
126	Dimethyl sulphate	77-78-1	201-058-1	0.05
127	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxaz olidine	143860-04-2	421-150-7	0.05
128	Dinoseb	88-85-7	201-861-7	0.05
129	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.05
130	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.05
131	4-Aminoazobenzene; 4-Phenylazoaniline	60-09-3	200-453-6	0.05
132	4-methyl-m-phenylenediamine (2,4-toluene-diamine)	95-80-7	202-453-1	0.05
133	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.05
134	Biphenyl-4-ylamine	92-67-1	202-177-1	0.05
135	o-aminoazotoluene	97-56-3	202-591-2	0.05
136	o-Toluidine; 2-Aminotoluene	95-53-4	202-429-0	0.05

Code	Test Item	CAS No.	EC No.	Report Limit (%)
137	N-methylacetamide	79-16-3	201-182-6	0.05
138	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.05

The ninth: Six Substances of Very High Concern (Released in Jun, 2013)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
139	Cadmium **	7440-43-9	231-152-8	0.01
140	Cadmium oxide **	1306-19-0	215-146-2	0.01
141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.01
142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol , ethoxylated covering UVCB- and well-defined substances, polymers and homologues]	/	/	0.05
143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.01
144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.01

The tenth: Seven Substances of Very High Concern (Released in Dec, 2013)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
145	Cadmium sulphide**	1306-23-6	215-147-8	0.01
146	Dihexyl phthalate	84-75-3	201-559-5	0.01
147	C.I. Direct Red 28	573-58-0	209-358-4	0.01
148	C.I. Direct Black 38	1937-37-7	217-710-3	0.01

Code	Test Item	CAS No.	EC No.	Report Limit (%)
149	2-imidazoline-2-thiol	96-45-7	202-506-9	0.01
150	Lead di(acetate)**	301-04-2	206-104-4	0.01
151	Trixylyl phosphate	25155-23-1	246-677-8	0.01

The eleventh: Four Substances of Very High Concern (Released in Jun, 2014)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.01
153	Cadmium chloride**	10108-64-2	233-296-7	0.01
154	Sodium perborate; perboric acid, sodium salt**	-	239-172-9; 234-390-0	0.01
155	Sodium peroxometaborate**	7632-04-4	231-556-4	0.01

The twelfth: Six Substances of Very High Concern (Released in Dec, 2014)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
156	Cadmium fluoride**	7790-79-6	232-222-0	0.01
157	Cadmium sulphate**	10124-36-4, 31119-53-6	233-331-6	0.01
158	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	223-346-6	0.05
159	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-284-8	0.05
160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	239-622-4	0.01

Code	Test Item	CAS No.	EC No.	Report Limit (%)
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	--	0.05

The thirteenth: Two Substances of Very High Concern (Released in Jun, 2015)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters	68515-51-5, 68648-93-1	271-094-0 272-013-1	0.05
163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	--	--	0.05

The fourteen: Five Substances of Very High Concern (Released in Dec, 2015)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
164	Nitrobenzene	98-95-3	202-716-0	0.05
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.05
166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.05
167	1,3-propanesultone	1120-71-4	214-317-9	0.05

Code	Test Item	CAS No.	EC No.	Report Limit (%)
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1 21049-39-8 4149-60-4	206-801-3	0.05

The fifteen: One Substance of Very High Concern (Released in Jun, 2016)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	200-028-5	0.05

The sixteen: Four Substance of Very High Concern (Released in Jan, 2017)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	201-245-8	0.005
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	335-76-2 3830-45-3 3108-42-7	206-400-3 - 221-470-5	0.005
172	p-(1,1-dimethylpropyl)phenol	80-46-6	201-280-9	0.005
173	4-heptylphenol, branched and linear (4-HPbl)	-	-	0.005

Test Report

The seventeen: One Substance of Very High Concern (Released in Jul, 2017)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	-	-	0.005

The eighteen: Seven Substances of Very High Concern (Released in Jan, 2018)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
175	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene (“Dechlorane Plus”TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	-	-	0.005
176	Benz[a]anthracene	56-55-3, 1718-53-2	200-280-6	0.005
177	Cadmium nitrate**	10022-68-1, 10325-94-7	233-710-6	0.01
178	Cadmium carbonate**	513-78-0	208-168-9	0.01
179	Cadmium hydroxide**	21041-95-2	244-168-5	0.01
180	Chrysene	218-01-9, 1719-03-5	205-923-4	0.005
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	-	-	0.005

Test Report

The nineteen: Ten Substances of Very High Concern (Released in Jun, 2018)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
182	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.01
183	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.01
184	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.01
185	Lead**	7439-92-1	231-100-4	0.01
186	Disodium octaborate**	12008-41-2	234-541-0	0.01
187	Benzo[ghi]perylene	191-24-2	205-883-8	0.01
188	Terphenyl hydrogenated	61788-32-7	262-967-7	0.01
189	Ethylenediamine (EDA)	107-15-3	203-468-6	0.01
190	Trimellitic anhydride (TMA)	552-30-7	209-008-0	0.01
191	Dicyclohexyl phthalate (DCHP)	84-61-7	201-545-9	0.01

The twenty: Six Substances of Very High Concern (Released in Jan, 2019)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
192	Pyrene	129-00-0	204-927-3	0.01
193	Phenanthrene	85-01-8	201-581-5	0.01
194	Fluoranthene	206-44-0	205-912-4	0.01
195	Benzo[k]fluoranthene	207-08-9	205-916-6	0.01
196	2,2-bis(4'-hydroxyphenyl)-4-methylpentane (Bisphenol P)	6807-17-6	401-720-1	0.01
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor; 3-BC)	15087-24-8	239-139-9	0.01

Test Report

The twenty one: Four Substances of Very High Concern (Released in July, 2019)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
198	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP)	-	-	0.01
199	4-tert-butylphenol	98-54-4	202-679-0	0.01
200	2-methoxyethyl acetate	110-49-6	203-772-9	0.01
201	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	-	-	0.01

The twenty two: Four Substances of Very High Concern (Released in Jan, 2020)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.01
203	2-methyl-1- (4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.01
204	Diisohexyl phthalate	71850-09-4	276-090-2	0.01
205	Perfluorobutane sulfonic acid (PFBS) and its salts	-	-	0.01

Test Report

The twenty three: Four Substances of Very High Concern (Released in June 2020)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
206	1-vinylimidazole	1072-63-5	214-012-0	0.01
207	2-methylimidazole	693-98-1	211-765-7	0.01
208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.01
209	Dibutylbis(pentane-2,4-dionato-O,O') tin	22673-19-4	245-152-0	0.01

The twenty four: Two Substances of Very High Concern (Released in Jan. 2021)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.01
211	Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	-	-	0.01

The twenty five: Eight Substances of Very High Concern. (Released in July. 2021)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
212	1,4-dioxane	123-91-1	204-661-8	0.01
213	2,2-bis(bromomethyl) propane1,3-diol (BMP)	3296-90-0	221-967-7	0.01
	2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA)	36483-57-5/ 1522-92-5	253-057-0	0.01
	2,3-dibromo-1-propanol (2,3-DBPA)	96-13-9	202-480-9	0.01

Code	Test Item	CAS No.	EC No.	Report Limit (%)
214	2-(4-tert-butylbenzyl) propionaldehyde and its individual stereoisomers	-	-	0.01
215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.01
216	Glutaral	111-30-8	203-856-5	0.01
217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	-	-	0.01
218	Orthoboric acid, sodium salt**	13840-56-7	237-560-2	0.01
219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual（PDDP)	-	-	0.01

The twenty six: Four Substances of Very High Concern (Released in Jan. 2022)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	-	-	0.01
221	6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC)	119-47-1	204-327-1	0.01
222	S-(tricyclo[5.2.1.0'2,6]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.01

Test Report

Code	Test Item	CAS No.	EC No.	Report Limit (%)
223	tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.01

The twenty seven: One Substances of Very High Concern (Released in June, 2022)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.01

The Twenty-eight: Nine Substances of Very High Concern (Released in Jan, 2023)

Code	Test Item	CAS No.	EC No.	Report Limit (%)
225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	253-692-3	0.01
226	2,2',6,6'-tetrabromo-4,4'-isopropylidene diphenol	79-94-7	201-236-9	0.01
227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.01
228	Barium diboron tetraoxide**	13701-59-2	237-222-4	0.01
229	bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	-	-	0.01
230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.01
231	Melamine	108-78-1	203-615-4	0.01
232	Perfluoroheptanoic acid and its salts	-	-	0.01
233	reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	-	473-390-7	0.01

Note:

1. mg/kg =ppm=10^{-6}
2. %=w/w
3. N.D. :< Report Limit
4. * The detected DHNUP are consisted of six phthalates which CAS number are 85507-79-5, 68515-44-6, 68515-45-7, 111381-89-6, 111381-90-9 and 111381-91-0. according to the Annex 15 of REACH.
5. ** According to the 5.2.1 item of the second version of ECHA “Guidance on requirements for substances in articles”, 2011, the selected test methods only show the existence of certain elements rather than the existence of substances, using additional measurements to screen for the existence and identification of substances in a sample when necessary.
6. Report Results: based on measurements in most cases will identify the chemical constituents in the sample but not necessarily “the substance” which were originally used to produce the article, professional consults, products information, testing processes, features of materials, characteristics of the SVHC and chemical analysis etc to obtain the assessments results according to the 5.2 item of the second version of ECHA “Guidance on requirements for substances in articles”, 2011.
7. Report Limit: Be obtained from the uncertainty, the 0.1 % threshold and the ECHA “Guidance on requirements for substances in articles”.
8. #: According to the applicant's request, the admixture of specimen A/B/C/D/E/F/G/H/I/J/K/L /M/N/O/P/Q are tested as a whole. The testing results of specimen A/B/C/D/E/F/G/H/I/J/K/ L/M/N/O/P/Q may be different from that of any sole material in specimen A/B/C/D/E/F/G/H/ I/J/K/L/M/N/O/P/Q.
9. As specified by the client, all the results of groups A to groups N were quoted from the results of groups A to groups N in report 18360RC30001801.

Test Report

Appendix:

1. Any supplier of an article containing a substance that is included in the Candidate List in a concentration above 0.1 % weight by weight (w/w) has the duty to communicate information in accordance with Article 33 of European Union regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

1) Any supplier shall provide the recipient of the article with sufficient information to allow safe use of the article including, as a minimum, the name of that substance.

2) On request by a consumer any supplier shall provide the consumer with sufficient information to allow safe use of the article including, as a minimum, the name of that substance within 45 days of receipt of the request, free of charge.

2. The supplier of a substance that is included in the Candidate List on their own shall provide the recipient of the substance with a safety data sheet for free compiled in accordance with Article 31 and Annex II of REACH.

3. The supplier of a mixture that containing a substance that is included in the Candidate List shall exchange information in accordance with Article 31, Article 32, and Annex II of REACH.

1) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation meets the criteria for classification as dangerous in accordance with Directives 1999/45/EC.

2) Any supplier shall provide the recipient of the mixture with a safety data sheet for free where a preparation does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC, but contains any substance that is included in the Candidate List in an individual concentration of ≥ 0.1 % by weight for non-gaseous mixtures or ≥ 0.2 % by volume for gaseous mixtures.

Photograph of Sample


ANKER


1
2
3
4
5
6
7
8
9
10
11
POWER SAVING
DISPLAY
CAR SOCKET
AC OUTLET
ANKER


12
13
14
15
17
11-30V ⎓ 10A
220-240Vac
(50Hz/60Hz) ONLY!
16


18


19
20
21


22
23
24
26
27
25


28
30
29
31
32
33
34


35


37
36


43
40
41
44
39
38
42


46
45


48
47


50
54
49
53
52
51


55
56
57


58


62
61
67
66
65
64
60
59
63


75
72
68
69
70
74
73
71
AISHI
MK
2247
220
80V


78
76
82
85
86
79
84
83
80
77
81


88
90
87
89
91


92
93
96
95
94


98
97
99


100
101
103
105
104
102


106
107


108
109
110
111
112
113


114
115
116
117
118


119
120
121
R122
R123
100
100
C101


123
122
124


125
126
130
131
129
127
128
132
EVERCOOL


134
133
135
136
137
138
139
140


141
142
143
144
145
146
147
148
149


150
151


152
156
155
153
154


158
159
157


160
161


165
163
164
162


169
173
170
168
175
166
167
171
174
172


176
177
178
179
180


182
181
183


192
194
184
185
187
190
193
191
186
188
189


195
196
197
198
199


201
202
203
204
200
205
206
211
209
207
208
210


214
213
212


215
217
218
216


219
221
220
222
223
224


225
226
228
227


229
230
231
232
233
234
235
236
237
238


239
240
241
242
243
244
245


246


248
247
BMS
250
249


252
251
253


256
257
255
254


262
258
261
259
260


263
264


265


266
267


268
269
270


274
271
272
273


281
280
279
276
275
277
278


282
283
284


285


286


289
288
287


290
291
292


293
294
EVERCOOL
TWO BALL BEARING
DC 12V 0.32A


295
296


297
298
299
300
301
302
303
304
305
306
307


308
309
310
311
312


313


314


315
510
510
510
510


316
317
318
319


320


321
322
323


324
ANKER


325
326
327
328
329
330


331
332
333
334
335

Test Report



***** End of Report *****